
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.3

G

# **KELSEY'S**

Hardy American Plants Azaleas, Rhododendrons Specimen Evergreens Carolina Mountain Flowers



The Carolina Hemlock (Tsuga caroliniana)

This grand new species is now universally accepted as the "Queen American Evergreens." Introduced by Highlands Nursery in \$4, it has become known to tree-lovers as the most distinctive and graceful of all conifers which are hardy throughout the Teentire United States.

Its dense, dark foliage, sweeping, semi-pendulous branches, and eventually pyramidal form combine to give a charm not found in any other evergreen known to cultivation. It is much hardier and more adaptable to city atmospheres than its plainer sister, the Canadian Hemlock, and will also thrive in southern latitudes where the latter becomes thin, yellow, and unsightly.

It is the "coming Evergreen" for the finest landscape plantings, either as single specimens or for mass effects and backgrounds. A splendid stock of young plants up to 2 feet is now ready. Also a limited number of specimens 6 to 10 feet, and at Highlands Nursery some grand specimens 16 to 20 feet. Prices, see pages 9 and 22.

## Special Notice

PRICES The prices in this Catalog abrogate all previous price-lists or quotations

Address all communications to

# HARLAN P. KELSEY

OWNER #

Hawthorne Bldg., Salem, Mass.

Boxford Nursery: BOXFORD, MASS.
Highlands Nursery: PINEOLA, NORTH CAROLINA
3,800 feet elevation

# Information

BOXFORD NURSERY (East Boxford P. O.) is located 28 miles north of Boston, at Boxford Station, on the Georgetown Branch, B. & M. R. R. Good automobile roads lead in all directions. Distances from Nursery to Boston, 28 miles; Salem, 14 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell,

Visitors are always welcome, and customers will find pleasure and a distinct advantage in personally inspecting material. Mr. Kelsey will be glad to meet prospective customers at the Nursery by appointment. A visit during Rhododendron, Kalmia, and Azalea blooming season is an event really worth while.

HIGHLANDS NURSERY, Pineola, western North Carolina, is located at 3,800 feet elevation, on the crest of the Blue Ridge Mountains. Here many of our choicest new American plants have been grown and introduced for the first time to cultivation, including Carolina Hemlock, Azalea vaseyi, Rhododendron carolinianum, Lilium grayi, Shortia galacifolia, Robinia kelseyi, and many others. From here also we ship "collected" Rhododendrons and Kalmias in carload lots, of a grade far superiot to Pennsylvania "collected" material. "Collected" Rhododendron catawbianse (true) comes only from our high southern neutrinism biense (true) comes only from our high southern mountains.

AMERICAN NATIVE PLANTS. Specialties at both Nurseries are Hardy American Plants, which must always be the basis of all successful permanent plantings, and Specimen Evergreens. We have thousands of the choicest conifers up to 20 feet in height, Rhododendrons 4 to 5 feet in diameter; Azaleas in splendid clumps, heavily budded; and Dwarf Evergreens for immediate effect in Rockwork and Borders. We are the first and still the largest growers of American Native Ornamentals.

EMBARGO ON FOREIGN STOCK. The Federal Horticultural Board has proclaimed a complete embargo on all Foreign Trees and Shrubs and practically all Herbaceous Plants. This means a distinct horticultural advance in America, for Americans must now learn that our Native Trees and Plants are hardier, freer from disease, more permanent, and far more beautiful and "fitting" in our landscapes and home grounds than exotic material. The best exotics can and now will be grown in America for Americans. We are growing them by thousands.

SHIPPING SEASON begins in August for Rhododendrons, Kalmias, Conifers and many herbaceous plants, general stock going out from September to December. Spring shipments usually from March to June.

**SHIPPING INSTRUCTIONS** should be given, otherwise I use my best judgment, but assume no risk. All shipments travel at consignee's risk and carriers must be held liable for damage in transit.

**DELIVERY BY TRUCK.** Where the size of order warrants, there are distinct advantages in auto truck delivery for distances up to 30 to 50 miles. Stock arrives quickly and when wanted is delivered fresh on the grounds and saves local trucking and unpacking. Charges are made according to size of truck and distance traveled.

**PRICES** are made to fit the quality of stock sent out. Discriminating buyers now realize that the greatest value of nursery stock is *underground*. Frequent transplanting, and handling specimens with adequate, burlaped balls, mean success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery, and "cheap" stock will not be handled or sent out. The best is always the cheapest.

**SPECIAL SELECTION.** Stock selected by customers at Nursery or specially selected stock ordered by mail or otherwise will be charged at advanced prices to fit the value of stock selected. The prices in this catalogue cover the average good grade as they run in the nursery row.

**PACKING CHARGES.** At prices printed in this catalogue, Boxing, Baling, or Burlaping is free, except where noted. Where small sizes or deciduous stock is balled and burlaped by special request, a charge is always made to cover cost. See page 24 for Burlaping charges.

**TERMS.** Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. 5 at 10 rate; 50 at 100 rate; 500 at 1,000 rate.

NON-WARRANTY. No guarantee, express or implied, is made that stock will grow, whether planted by me or otherwise. Having no control over after treatment of plantings or over weather conditions, it is obvious that purchaser must assume all responsibility after stock leaves the Nursery in good condition. However, under certain conditions, I am prepared to guarantee plantings made by me covering a specified period, on an insurance basis. Charges will be made according to risk involved and value of material. Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

PLANT NAMES. The botanical (scientific) names of Trees, Shrubs, and Woody Vines in this catalogue conform to the 1917 Official Code of Standardized Plant Names, adopted and published by The American Joint Committee on Horticultural Nomenclature, as first printed in L. H. Bailey's "Standard Cyclopedia of American Horticulture," Vol. VI, 1917.

DESCRIPTIVE CATALOGS, illustrated, mailed are on and advice on the right way to grow Rhododendrons, Azaleas, and other native plants is gladly given.

LANDSCAPE FORESTRY. Evergreen seedlings and transplants in arge quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address,

### HARLAN P. KELSEY, Owner

# KELSEY'S HARDY SPECIMEN

#### CATALOG OF BOXFORD NURSERY



Abies fraseri

# **Prices at Boxford Nursery**

NOTE: All stock transplanted and nursery-grown unless marked otherwise. "S."—Seedlings. "Col."—Collected.

The larger sizes of Evergreens are always shipped with balls, and burlaped.

The prices in this list cover the average good grade as they run in the nursery row. Where specimens are picked, a price will be made to fit the specimen.

# **Evergreen Trees and Shrubs**

Write for special prices on young seedlings and transplanted Evergreens by the thousand, such as White and other Pines, Firs, Spruces, etc.

		Each	10	100
Abies arizor	ica. Silver Cork Fir. 6 to 7 ft	. \$10 00		
	8 to 10 ft			
concolor.	White Fir. 6 to 9 in. \$180 per 1,000	40	\$2 40	\$20 00
	9 to 12 in\$300 per 1,000			
	12 to 18 in	1 00	8 00	$70 \ 00$
	18 to 24 in	2 00	18 00	
	2 to 3 ft	3 25	30 00	
	3 to 4 ft	4 50		
	4 to 5 ft	7 00		
	5 to 16 ft, specimens \$8 to	125 00		

5 to 16 ft. specimens............\$8 to 125 00

fraseri. Fraser's Fir. A distinct species from the highest peaks of the Carolina mountains; makes a perfect specimen lawn and screen tree, with dark green, thick-set foliage (blue underneath) and compact, pyramidal habit. It is one of the choicest of all American conifers of the Fir section, not to be compared with the northern species, Abies balsamea, which is almost worthless in any but the latitude of middle and northern Maine, as it becomes "leggy," thin, and is short-lived. An unusually fine lot of this splendid Fir. The attention of nurserymen is particularly called to the Abies fraser' as the best Fir of this type that is grown in this country. The sizes listed below are especially bushy and well-rooted. It seems perfectly at home in the South, thriving where few other evergreens of this class can be grown with success. There are few evergreens we can recommend so highly.

#### CATALOG OF BOXFORD NURSERY

#### EVERGREEN TREES AND SHRUBS, continued

Abies fraseri, continued Each 10 100 9 to 12 in	
12 to 18 in	
2 to 3 ft 1 50 12 00	
3 to 4 ft       2 50       22 00 200 00         4 to 5 ft       3 50       32 00 300 00	
5 to 6 ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
nomolepis, 12 to 18 in 175 16 iii	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4- to 8-ft. specimens\$8 to 20 00	
nomolepis (brachyphylla).	
3- to 9-ft. specimens \$6 to 18 00 homolepis umbellata.	
6- to 12-ft. specimens\$12 to 25 00	
pectinata.       12 to 18 in	
2 to 3 ft	
3 to 4 ft 8 00 5- to 16-ft. specimens	
Andromeda politolia. 6 to 12 in	
floribunda. See Pieris floribunda.  Arctostaphylos uva-ursi. Bearberry. 2-yr. pots. 80 7 60 60 00	
Calluna humosa. Heather, 6 to 9 in	
vulgaris.     9 to 12 in     75     6 00       12 to 18 in     1 00     8 00	
Chamæcyparis (Retinispora) obtusa. 6 to 9 in 50 4 00 30 00	
9 to 12 in 75 6 00 50 00	
12 to 18 in	
12 to 18 in 3 00	
2 to 2½ ft	
4 to 5 ft	
5 to 6 ft	
12 to 181n	
Cryptomeria japonica lobbi.         18 to 24 in	
<b>Daphne cneorum.</b> 6 to 9 in	
Dendrium. See Leiophyllum.	
Erica carnea.       Heath. 6 to 9 in	
19 to 18 in 1 75	
18 to 24 in.	
Juniperus chinensis pfitzeriana. 9 to 12 in 2 00	
1 to 2 ft	
2 to 3 ft	
2 to 3 ft	
2 to 3 ft 3 50 32 00 3 to 4 ft 6 00 chinensis procumbens. 2 to 3 ft 1 75 communis aurea. 2 to 3 ft 3 50 3 to 4 ft 4 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 to 3 ft	

EVERGREEN TREES AND SHRUBS, continued
Juniperus         virginiana, continued         Each 10           4 to 5 ft.         \$3 50 \$30 00           5 to 6 ft.         5 00 40 00           6 to 7 ft.         7 00 64 00           7 to 8 ft.         10 00 90 00           8 to 9 ft.         12 50 112 00           9 to 10 ft.         15 00 140 00           10 to 12 ft.         18 00 170 00           12 to 14 ft.         25 00 220 00           14 to 16 ft.         30 00 280 00           Larger sizes at special prices.
virginiana cannarti. 12 to 18 in
virginiana elegantissima.     4 to 5 lt.     7 00       5 to 6 ft.     9 00       virginiana glauca.     BLUE VIRGINIA CEDAR.       2 to 3 ft.     2 50     22 00       3 to 4 ft.     3 50     30 00       4 to 5 ft.     5 00       5 to 6 ft.     7 50     70 00       virginiana globosa.     DWARF JUNIPER.     18 to 24 in.     3 50       virginiana schotti.     18 to 24 in.     2 00     18 00
4 to 5 ft
virginiana globosa. DWARF JUNIPER, 18 to 24 in. 3 50 virginiana schotti. 18 to 24 in 2 00 18 00
3 to 4 ft
latifolia. The Mountain Laurel. One of the grandest of our native, broad-leaved, evergreen shrubs, attaining tree-like proportions in
virginiana globosa. DWARF JUNIPER. 18 to 24 in. 3 50 virginiana schotti. 18 to 24 in 2 00 18 00 2 to 3 ft
Each   10   100
2- to 4-in. spread. 30 2 40 9- to 12-in. spread 50 4 00 12- to 18-in. spread 65 6 00 prostratum. MOUNTAIN HEATH.
prostratum.         MOUNTAIN HEATH.           3- to 6-in. spread
3- to 6-in. spread
canadensis (alba).     White Spruce.     3 to 4 ft.     2 50     22 00       4 to 5 ft.     3 50     32 00       5 to 6 ft.     5 00     44 00       6 to 7 ft.     8 00     76 00       7 to 8 ft.     10 00     90 00       8 to 9 ft.     12 00 112 00       9 to 10 ft.     15 00 140 00       10 to 12 ft.     20 00 180 00       12 to 14 ft.     25 00 224 00       14 to 15 ft.     30 00       engelmanni.     Engelmann Spruce.     6 to 9 in.     40     3 00     20 00       12 to 18 in.     50 4 00     8 00     60 00
18 to 24 in

## CATALOG OF BOXFORD NURSERY

CATALOG	OF	вох	FOI	RD	NU	RS	E	RY	
EVERGREI	EN TRI	EES AN	ID SH	RUBS	S, con	tinu	ıed		
Picea orientalis. OR	TENTAL !	Sprice	3 to 4	f+	Each	1	10	10	00
pungens. Green	Colorat	DO SPRIIC	e. 9 to	o 12 in	. 75	\$6	3 00	\$50	00
12 to 18	in				$\begin{array}{c} 1 & 00 \\ 1 & 50 \end{array}$		00		00
2 to 3 ft					-2.50	22	00 2 00		
							00		
5 to 6 ft	• • • • • • <i>•</i> •				. 5 00 . 7.00	64	F 00		
5 to 6 ft 6 to 7 ft 7- to 15- pungens kosteri. 12 to 18	· · · · · · · · · · · · · · · · · · ·			 @10.4-	9 00	80	00		
pungens kosteri.	Koster	mens 's Blue	SPRUCI	e. Eiu to	90 UU	'			
12 to 18	in				3 00	28	00		
10 10 24	1111				4 00	• •	3 00 3 00		. •
3 to 4 ft	• • • • · · · · ·			<i>.</i> .	9 00	86	00		
4 to 5 ft. 5 to 6 ft.					20 00	180	) 00 ) 00		
6 to 7 ft.					25 00	+236	00		
7 to 8 ft.	3 to				.30 00 00 2	15	3 00		
4 to 5 ft.					3 00	2.8	3 00		
5 to 6 ft. ieris (Andromeda) American broa- with Rhododen	4				5 00	41.	. 1		,
American broa	d-leaved	evergre	nbrome en dwa	rf shr	ne oi	tne f gr	eates	oicest st. va	due
with Rhododen	dron pla	ntings.	The foli	age an	d flow	er-b	uds	are v	ery
attractive throu	ighout t.	he fall an	d winte	er seas	on, an	d in	earl	y spr	ing
attractive through a mass of whit Nursery where	a beauti	ful stock	of speci	mens a	re rea	dy fo	$\operatorname{ar}$	ipme	ent.
19 40 19	in alum		-	]	Each	11	,	10	υ
12 to 18 18 to 24 2 to 3 ft japonica. JAPANES 9 to 12 i inus aristata. Fox	in., clur	$\operatorname{nps}$	<b>.</b>		$\frac{1}{2} \frac{75}{75}$	26	00	\$140 236	00
2 to 3 ft.	., clump	s			3 75	36	00		-
japonica. Japanes 9 to 12 i	SE FETT	ER BUSH	. 6 to	9 in	1 25	12 14	00		
nus aristata. Fox	TAIL PIN	ie. 18 to	24 in		3 50		00		
banksiana (divarie aoly rapid grov	cata).	JACK PIN	E. Rei	mark-					
good ornaments	ver and e	easy to ti erv usefu	ranspia. I for rec	elaim-					
good ornaments ing "abandoned	l" or po	or soils.	1 to 2 f	t	50		00		00
2 to 3 ft					60 1 25	4 5		30 40	00
4 to 6 ft	• • • • • • • • • • • • • • • • • • •				2 00	16		120	
6 to 8 ft	<i>.</i>				4 00	36			
10 to 12	ft			1	7 00 10 00	90	00		
12 to 14	ft			1	$^{12} 50$	100			
14 to 16 A special low	nrice w	ill be ms	de on	Pinus	19 00	140	UU		
banksiana in th	ousand	lots.							
cembra. Swiss St	ONE PIN	ve. 9 to	12 in		$\frac{1}{2} \frac{25}{00}$	11		100	
12 to 18 18 to 24	in				$\frac{2}{2} \frac{50}{50}$	$\frac{18}{22}$	00	$\frac{176}{200}$	
2 to 3 ft					3.50	32	00		
3 to 4 ft 4 to 5 ft	• • • • • • •			1	6 00	56 90			
densiflora. Japanie	ese Red	Pine. I	Hardy a	and of	.0 00	•	00		
distinctive habi	t. Very	free from	disease	es and					
insects, and one scape work and									
12 to 18	in				75		00		00
18 to 24	in		• • • • •	• • • • •	1 00 1 50	$\frac{7}{12}$	00		00
3 to 4 ft					2 50	20	00	180	00
4 to 5 ft				• • • • •	3 50 5 00	$\frac{30}{44}$		$\frac{250}{350}$	
6 to 8 ft	<i></i> 				5 00 8 00	70		550	
flexilis. Limber P	INE. Of	the "Wh	ite Pin	e sec-					
tion" from the									
ially choice for	the rock	$\mathbf{y}$ hillsi $\mathrm{d}_{0}$	e. 6 to	9 in	30		60		00
9 to 12 1	n				50		00		00
					$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	8	00 <b>00</b>		00
2 to 3 ft.					2 00	18		150	
3 to 4 ft.	• • • • • • •				3 00 5 <b>00</b>				
5 to 6 ft. montana. Swiss I		<u>.</u>			7 00				
montana. Swiss I	Mounta	IN PINE.	12 to	18 in.	1 25 2 00	10 18		80 160	00
2 to 3 ft					4 00	36	00	300	00
3 to 4 ft montana mughus				;	6 00	50	00	n:	c
green effect is n from a few inch	eeded.	Boxford .	Nursery	y has t	housai	ıds c	of sp	ecim	ens
from a few inch	es to sev	veral feet	ın dian	neter.	The N	/lugh	10 P .0	ine c 10	an-
6- to 9-i	n. Seedli	ngs \$6	0 per 1,	000	шаси	\$1	00	\$8	00
not be too high 6- to 9-in 6- to 12- 12- to 18	in. sprea	d \$28	0 per 1,	000\$	0 50	4	00	30	00
12- to 18 18- to 24	s-in. spre l-in. spre	ead\$60 ead	o per 1,			10 18		150	00 00
2- to 3-ft	t. spread	<i></i>			4 00	36	00	300	00
3- to 4-f	t. spread	l	• • • • • •		7 00	64	UU	550	00
		6							

#### ATALOG OF BOXFORD NURSERY


EVERGREEN TREES AND SHRUBS, o	on	tinu	ed		
Pinus nigra austriaca. Austrian Pine. Ea			0	100	
18 to 24 in		\$8 16		\$76	
	$\frac{75}{00}$	28		$\frac{130}{250}$	
4 to 5 ft 4	50	40		200	00
ponderosa. Bull Pine. 1 to 2 ft1,000, \$350 1	00		00	48	
2 to 3 ft		18		150	00
3 to 4 ft		36 50			
5 to 6 ft		70			
6 to 8 ft10		90			
pungens. Table Mountain Pine.					
	00	36			
8 to 9 ft		50 80			
resinosa. Red Pine. 12 to 18 in	60		00	30	00
	00		00	70	
2 to 3 ft 1	75	16		140	
	50	20		180	
4 to 5 ft		36 50		$\frac{320}{400}$	
6 to 7 ft		70		+00	00
rigida. Pitch Pine. 5 to 6 ft		36		300	00
6 to 8 ft 6	00	50		450	00
8 to 10 ft		80	00		
10 to 12 ft	50				
to those wishing large quantities for forestry					
purposes and in car-lots. 2 to 3 ft	75	6	00	50	00
	25	10		80	
4 to 6 ft		24		200	
	00	50		400	00
8 to 10 ft	00	80	00		
sylvestris. Scotch Pine. 2 to 3 ft	25	10	00	80	00
3 to 4 ft 2	$\bar{0}\bar{0}$	18			
4 to 6 ft 4	00	36		320	
6 to 8 ft		50		450	00
8 to 10 ft	00 50	$\frac{90}{116}$			
12 to 14 ft	00	110	00		
thunbergi. Japanese Black Pine. 9 to 12 in.	50	3	00	20	00
12 to 18 in	75		00	40	
18 to 24 in	25	10	00	90	00
Spruce. 6 to 9 in	35	3	00	20	00
9 to 12 in	50		00		00
12 to 18 in	75		00		00
	25		00		00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 75		00	$\frac{140}{220}$	
	50		00	220	00
5 to 6 ft 5			00		
6 to 7 ft 7	00		00		
	00		00		
8 to 9 ft	00	90	00		
2 to 3 ft 4	00				
3 to 4 ft					
Rhododendron carolinianum. A new American	spec	cies.	Cle	ear pi	nk.
Absolutely bonds. This is one of our fractints		4 :			

odendron carolinianum. A new American species. Clear pink. Absolutely hardy. This is one of our finest introductions and fills a long-felt want for a hardy dwarf Rhododendron with flowers free from any hint of magenta. It was described and named by Alfred Rehder, of the Arnold Arboretum. It is the smallest Alleghanian species, attaining a height of 6 to 8 feet in cultivation. The thick-set leaves are dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either Maximum or Catawbiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well and invaluable as a single specimen or for massing.

or for massing.
12 to 18 in., clumps.
18 to 24 in., clumps.
2 to 3 ft., clumps. \$2 50 \$22 00 4 00 38 00 6 00 56 00

catawbiense. Of the Carolina mountains. The hardiest of all Rhododendrons. It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardens, where ironclad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet. Considering the extreme hardiness, color of flower, compact growth, and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known Rhododendron maximum, we can recommend the true native Catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail. Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy, half-breed imported variety), and as sent out by Highlands Nursery is always on its

#### CATALOG OF BOXFORD NURSERY



EVERGREEN TREES A	ND SHRUBS, continue	ed
Rhododendron catawbiense, conti		
own roots. For massing to pro		moon land
scape effect, there is no plant		
northern United States and C	Tanada where atrictly has	ide of the
must be employed.	Each 10	100
	\$1 25 \$12 0	
12 to 18 in., clumps	1 75 16 0	0 9100 00
18 to 24 in., clumps	2 75 26 0	
2 to 3 ft., clumps		
3 to 4 ft., clumps		
4 to 5 ft., clumps		U
5 to 6 ft., clumps		000 00
catawbiense hybrids. 12 to 18 in	2 50 24 0	
18 to 24 in		
24 to 30 in	5 00 48 0	U
The following varieties in stock:		
Abraham Lincoln	gloriosum	
album elegans	gloriosum album	
Boule de Neige	Hannibal	
candidissimum	H. H. Hunnewell	
caractacus	H. W. Sargent	
catawbiense album •	Ignatius Sargent	
Charles Bagley	Kettledrum	
Charles Bagshot	Lady Clermont	
Charles Dickens	maximum superbum—rec	i
Charles S. Sargent	Mrs. C. S. Sargent	
C. S. Rand	Mrs. Milner	
delicatissimum	Old Port	
elegans	Parsons' gloriosum	
E. S. Rand	Parsons' grandiflorum	
everestianum	purpureum elegans	
F. D. Godman	roseum elegans	
giganteum	roseum luteum	
lætevirens (wilsonianum). 12 to		
18 to 24 in		
2 to 2½ ft	5 00 48 00	
maximum. White. 12 to 18 in		
18 to 24 in		
2 to 3 ft	1 50 14 00	
18 to 24 in., clumps	2 00 18 00	
2 to 3 ft., clumps	3 00 28 00	)
3 to 4 ft., clumps		)
4 to 5 ft., clumps	8 00	
myrtifolium. 12 to 18 in	2 50 22 50	
18 to 24 in	4 00 37 50	)
Taxus baccata repandens. 2 to 3 ft	t 4 00	
3 to $\bar{4}$ ft	6 00	
canadensis. Canadian Yew. 6 to		
9 to 12 in	1 00 9 00	0 80 00

# CATALOG OF BOXFORD NURSERY

EVE	RGREEN	TREES	AND	SHRUBS	, co	ntinued	
				F	lach	10	100
Taxus cuspi	data (capit	tata). 9 t	o 12 in		1 00	\$9 00	
	brevifolia.						
	12 to 18 in.				50		
Thuja occide	18 to 24 in.				3 50		
	6 to 9 in				15	1 00	\$7 00
	9 to 12 in		.\$80 pc	er 1,000	20	1 60	10 00
	12 to 18 in.				40	3 00	24 00
	18 to 24 in.				60	4 40	36 00
	2 to 3 ft 3 to 4 ft				L 00 L 50	$\begin{array}{ccc} 7 & 00 \\ 14 & 00 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 120 & 00 \end{array}$
	4 to 5 ft					20 00	180 00
	5 to 6 ft					30 00	100 00
	6 to 8 ft				£ 50	40 00	
	8 to 9 ft				3 00		
	is aurea. (						
	4 to 5 ft 5 to 6 ft				3 00 4 00	36 00	
	6 to 7 ft				3 00	30 00	
	is pyramid				, 00		
	12 to 18 in.				75	6 00	50 00
	18 to 24 in.				00	8 00	70 00
	2 to 3 ft				50	14 00	120 00
	3 to 4 ft				$\frac{2}{3} \frac{25}{50}$	$\begin{array}{ccc} 20 & 00 \\ 32 & 00 \end{array}$	180 00
	4 to 5 ft 5 to 6 ft					44 00	
	6 to 7 ft					60 00	
	7 to 8 ft					00 00	
occidental					3 00	28 00	
	3 to 4 ft				1 00	36 00	
orientalis					00	18 00	
	elegantissi				25	10 00	
	2 to 3 ft				2 50 4 00	22 00	
	3 to 4 ft 4 to 5 ft				1 00 3 00	$\frac{38}{56} \frac{00}{00}$	
Tsuga canad					35	3 00	28 00
	9 to 12 in				50	4 40	40 00
	12 to 18 in.				1 00	9 00	86 00
	18 to 24 in.				1 50	14 00	132 00
	2 to 3 ft				2 00	18 00	176 00
	3 to 4 ft 4 to 5 ft				$\frac{3}{4} \frac{00}{50}$	$\frac{28}{42} \frac{00}{00}$	$\frac{260\ 00}{400\ 00}$
	5 to 6 ft				5 50	60 00	576 00
	6 to 7 ft				3 50	80 00	760 00
	7 to 8 ft				2 00	112 00	
	8 to 10 ft					140 00	
	10 to 12 ft.				8 00		
	a. CAROLIN						
	d illustratio s, see front			American			
	6 to 9 in			er 1.000 .	60	5 60	50 00
	9 to 12 in				1 00	9 00	80 00
	12 to 18 in.				1 50	14 00	132 00
	18 to 20 in.				2 25	$20 \ 00$	
	6 to 9 ft., e						
	3 to 4 ft				$\frac{5}{8} \frac{00}{00}$		
	5 to 6 ft				5 00		
D	1	- /T		1	1 6	71	.1

## Deciduous Trees and Shrubs

Deci	duous	Trees	and	7	5h1	rt	lb:	S
	rpum. See sa		Ea		10	1	100	)
ginnaia.					e1e (	00		
					24 (			
					30 (			
nlatanoid		MAPLE. 8 to 10					176	OΩ
pravarior						00	224	00
				00		00	420	00
		3- to 3½-in.						
				00	110 (	00		
rubrum.		LE. 3 to 4 ft		50	4 (			
	4 to 5 ft			75	6 (	00		
	5 to 6 ft		1		8 (			
				00	16 (			
				00	26 (	00		
		Maple. 18 to 20		50				
saccharin		jt-Leaved Map						
	14 to 16 ft		10					
saccharu		PLE. 2 to 3 ft		40	. 3 (			00
				60	4 4			
				75	6 (		48	
				25	10 (		88	UU
			2	00	18 (	JU		
spicatum	MOUNTAIN I		1.000		1 (	00	0	00
		dlings \$60 per		20		00 20		00
,		llings \$80 per llings		25		20 00	10	UU
	2 to 5 It. Seed	шида		20	4	00		

#### KELSEY'S Hardy American Plants Rhododendrons and Azaleas Hardy American Plants

#### CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS, cont	inued	
Amelanchier canadensis (botryapium). Shad- Each	10	100
Bush. 4 to 6 ft	\$4 00	
6 to 8 ft 80	6 00	
8 to 10 ft 1 00	8 00	
Amorpha microphylla. 1 to 2 ft 50	4 00	
tennessensis.		
1 to 2 ft. Seedlings\$80 per 1,000 15	1 20	\$10 00
Aronia arbutifolia. Red Chokeberry. 1 to 2 ft. 60	5 00	40 00
2 to 3 ft 1 00	8 00	60 00
3 to 4 ft 1 25		
4 to 5 ft 2 00		
melanocarpa (nigra). Black Chokeberry.		
6 to 12 in 25	2 00	18 00
1 to 2 ft 40	3 00	24 00
2 to 3 ft 60	5 00	40 00
3 to 4 ft	7 20	60 00
4 to 5 ft 1 00	8 00	72 00
melanocarpa grandiflora. 2 to 3 ft 50	4 00	36 00

#### Hardy American Azaleas

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands Nursery.

They are seen at their best when planted in large masses and in properly prepared beds, and they richly repay any unusual care given them. Like most ericaceous plants, they love deep, moist, well-drained soil, and these showy native species are particularly adapted to planting in shrub borders and with Rhododendrons, their brilliant blossoms being set off by a background of dark foliage. Azaleas can be successfully grown almost anywhere, following same instructions given for Rhododendrons. The complete hardiness of all the species we offer is unquestionable. No American shrubs equal the native Azaleas, particularly Azalea lulea, for woodland and hillside plantings.

Our cold Carolina mountains have added no more beautiful plants to gardens than these American Azaleas, not even excepting the magnificent broad-leaved evergreen Rhododendrons of world-wide fame.

broad-leaved evergreen Rhododendrons of world-wide lame.

Azalea arborescens. Fragrant White Azalea. 5 to 15 ft. In June the delightfully spicy fragrant white flowers, with pink stamens, appear in profusion, lasting for weeks. Becomes a spreading clump 3 to 6 feet broad in cultivation; easy culture. The foliage of this variety often colors striking shades of red in late autumn, and is the best of all the genus. The clumps offered have from twenty-five to one hundred stems and are heavily budded with enormous balls.

Each 10 100

S1 75 \$16 00 \$140 00

12 to 18 in., clumps. \$1 75 18 to 24 in., clumps. 3 00 2 to 3 ft., clumps. 4 50 3 to 4 ft., clumps. 7 00 75 \$16 00 \$140 00 00 28 00 260 00 50 42 00 400 00 64 00 24 00

a special charge

will be made. Each e made. Each
12 to 18 in., clumps. \$1 00
18 to 24 in., clumps. 2 00
2 to 3 ft., clumps. 3 00
3 to 4 ft., clumps. 5 00
4 to 5 ft., clumps. 8 00 \$9 00 18 00 28 00 \$80 00 172 00 260 00 mollis. nudiflora.

\$ 10 4 ft., clumps. \$ 300 48 00 440 00 4 to 5 ft., clumps. \$ 800 \$ 2 to 3 ft. \$ 3 to 4 ft. \$ 3 to 24 in. \$ 2 00 18 00 \$ 2 to 3 ft. \$ 3 to 28 00 \$ 2 to 3 ft. \$ 3 to 28 00 \$ 2 to 3 ft. \$ 3 to 4 ft. \$ 3 to 24 in. \$ 3 to 28 00 \$ 3 to 4 ft. clumps. \$ 3 to 28 00 \$ 3 to 4 ft. clumps. \$ 3 to 28 00 \$ 3 to 4 ft. clumps. \$ 3 to 28 00 \$ 3 to 4 ft. clumps. \$ 3 to 28 00 \$ 3 to 4 ft. clumps. \$ 4 to 36 to 36 to 36 to 36 to 37 to 4 to 37 to 3

# KELSEY'S HARDY SPECIMEN EVERGREENS CATALOG OF BOXFORD NURSERY



#### DECIDUOUS TREES AND SHRUBS, continued

Azalea viscosa. EARLY WHITE AZALEA.	Each	10	100
12 to 18 in., clumps	.\$1 00	\$8 00	\$72 00
18 to 24 in., clumps	. 1 75	16 00	140 00
2 to 3 ft., clumps	. 3 00	28 00	260 00
3 to 4 ft., clumps	. 4 00	36 00	
4 to 5 ft., clumps, very heavy		52 00	
5 to 6 ft., clumps, very heavy	.10 00		
yodogawa. 12 to 18 in		24 00	
Azalea, Aronia and Clethra (growing together).			
2 to 5 ft., clumps, very heavy\$3 t	ю 6 00		
Berberis canadensis. American Barberry.			
1 to 2 ft	. 50	4 00	
regelianum. 18 to 24 in		4 80	
2 to 3 ft	. 1 00		
sieboldi. 1 to 2 ft		2 80	24 00
2 to 3 ft	. 40	3 60	32 00
sinensis. 18 to 24 in	. 60	4 80	
thunbergi. Japanese Barberry. 12 to 18 in.		3 20	28 00
18 to 24 in	. 60	4 80	40 00
thunbergi var. Box-Barberry. New. 9 to 12 in	n. 1 50	12 00	
thunbergi maximowiczi. 18 to 24 in	. 60	4 80	
vulgaris. Common Barberry.			
6 to 12 in. Seedlings	. 15	75	4 00
6 to 12 in\$80 per 1,000		1 60	12 00
1 to 2 ft	. 35	2 40	20 00
Betula alba. European White Birch.			
10 to 20 ft\$2 to			
alba laciniata. European Cut-leaved Birci			
7 to 8 ft	. 1 50		
lenta. Black Birch. 1 to 2 ft	. 60	4 00	
2 to 3 ft		6 00	
lutea. Yellow Birch. 10 to 12 ft	. 2 00		
12 to 14 ft	. 4 00		
14 to 16 ft	. 6 00		
nigra (rubra). River Birch. 6 to 8 ft	. 1 00	8 00	
papyrifera. Paper Birch. 6 to 8 ft		10 00	80 00
8 to 10 ft	. 2 50	$20 \ 00$	160 00
populifolia. Gray Birch. 7 to 8 ft	. 1 00	8 00	
12 to 14 ft	. 3 00	<b>24</b> 00	
Buddleia veitchiana. 2 to 3 ft	. 75	6 00	48 00
Calycanthus floridus. Sweet Shrub. 1 to 2 ft.		2 80	
Caragana arborescens. Pea Tree. 3 to 4 ft			
arborescens cuneifolia. 1 to 2 ft		3 60	
Carpinus caroliniana. Water Beech. 4 to 6 f		6 00	48 00
6 to 8 ft		10 00	80 00
8 to 10 ft		$20 \ 00$	
10 to 12 ft			
Castanea pumila. CHINKAPIN. 1 to 2 ft		4 00	
2 to 3 ft		6 00	
3 to 4 ft.		8 00	

#### CATALOG OF BOXFORD NURSERY

#### DECIDUOUS TREES AND SHRUBS, continued

	Each	10	100
Catalpa speciosa. 6 to 8 ft		\$6 00 2 80	
Cercidiphyllum japonicum. Kadsura. Tres	E		
1 to 2 ft	60 80	$\frac{4}{7} \frac{00}{20}$	
Cercis canadensis. Red-Bud. 4 to 5 ft	75		
Chionanthus virginica. White Fringe. 18 to 24 in	50	4 00	
2 to 3 ft 3 to 4 ft., heavy	1 00	8 00	
Clethra acuminata. Mountain Pepper B	2 00	18 00	
12 to 18 in	40	3 20	
18 to 24 in	60	$\frac{4}{7} \frac{40}{60}$	
alnifolia. Sweet Pepper Bush.			
12 to 18 in., clumps	1 00	4 00 8 00	
3 to 4 ft., clumpstomentosa. 6 to 9 in. Seedlings	30	2 80	
9 to 12 in. Seedlings	50	$\frac{4}{2} \frac{00}{40}$	
2 to 3 ft	50	4 00	
florida. White-flowering Dogwood. 3 to florida rubra. Red-flowering Dogwood.	4 ft. 1 25		
2 to 3 ft	2 50	22 00	
3 to 4 ft	6 00	36 00 56 00	
5 to 6 ft	8 00	76 00	
6 to 7 ft	1200		
mas. Cornelian Cherry. 6 to 7 ft paniculata (racemosa). 1 to 2 ft	$\begin{array}{cccc} \dots & 2 & 00 \\ \dots & & 35 \end{array}$	3 00	
2 to 3 ftrugosa (circinata). 2 to 3 ft	50	4 00	
rugosa (circinata). 2 to 3 ftstolonifera. Red Osier Cornel. 1 to 2 ft	60	$\frac{4}{3} \frac{00}{60}$	
2 to 3 ft	60	4 00	
stolonifera aurea. Yellow Osier Cornei 1 to 2 ft	40	3 60	\$32 00
2 to 3 ft	60	4 00 8 00	
3 to 4 ft	1 75	$\begin{array}{c} 8 & 00 \\ 16 & 00 \end{array}$	
Corylus americana. HAZELNUT. 1 to 2 ft 2 to 3 ft	35	$\begin{array}{ccc} 3 & 20 \\ 4 & 00 \end{array}$	
rostrata. Beaked Hazelnut. 1 to 2 ft		3 20	
2 to 3 ft	50	4 00 6 00	•
3 to 4 ft	1 25	10 00	
horizontalis (davidiana). 9 to 12 in 12 to 18 in	150	14 00 18 00	
Cratægus arkansana. 6 to 12 in. Seedlings.	40	$\begin{array}{ccc} 2 & 40 \\ 2 & 40 \end{array}$	
arnoldiana. 6 to 12 in	1 00	8 00	
crus-galli. Cockspur Thorn. 3 to 4 ft 4 to 6 ft	$1 \dots 1 25$	$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	
monogyna. 1 to 2 ft	60	4 00	
nitida. 1 to 2 ft	60 40	$\frac{4}{3} \frac{00}{20}$	36 00
prunifolia. 6 to 12 in. Seedlingspunctata. 3 to 4 ft	50	4 40	
4 to 5 ft 5 to 6 ft	$1 \dots 1 25$	$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	
6 to 7 ftrotundifolia (glandulosa). 3 to 4 ft	175 $ 75$	$\begin{array}{ccc} 16 & 00 \\ 6 & 00 \end{array}$	
tomentosa. 12 to 18 m		4 40	
Cydonia japonica. JAPAN QUINCE. 18 to 24 maulei. 9 to 12 in	in 50 40	4 00 3 60	
maulei superba. 1 to 2 ft	60	4 00	16 00
maulei. 9 to 12 in maulei superba. 1 to 2 ft Diervilla rivularis. 6 to 12 in. Seedlings 1 to 2 ft. Seedlings sessilifolia. Bush Honexsuckle. 1 to 2	$ \begin{array}{ccc} & 25 \\ & 35 \end{array} $	$\begin{array}{ccc} 1 & 80 \\ 3 & 20 \end{array}$	$\frac{16}{24} \frac{00}{00}$
sessilifolia. Bush Honeysuckle. 1 to 2	ft 50 75	$\frac{4}{6} \frac{00}{00}$	32 00
2 to 3 ft			
		10 00 18 00	
3 to 4 ft., extra heavy 4 to 5 ft., extra heavy	3 50	32 00 3 60	
americanus. Strawberry Bush. 1 to 2 ft bungeanus. 1 to 2 ft	t 40 60	5 00	40 00
bungeanus. 1 to 2 ft	1 00 1 50	12 00	
4 to 5 tt	1 75		
europæus. Burning Bush. 2 to 3 ft 3 to 4 ft	60 80	4 00	
latifolius. 6 to 9 in. Seedlings	25	1 80	16 00
1 to 2 ft	1 50	$\frac{4}{12} \frac{00}{00}$	
4 to 5 ft	2 00 2 ft 75	18 00 6 00	
2 to 3 ft	1 25	10 00	
3 to 4 ftsylvatica. English Beech. 1 to 2 ft	1 60 1 00	8 00	
2 to 3 ft	1 75		
10			

DECIDUOUS TREES AND SHRUBS	con	tinued	
1 to 2 ft\$ 5 to 6 ft 6 to 7 ft	Each 0 25 1 00 1 25 2 00	10 \$1 80 8 00 10 00 18 00	100
Suspensa fortunei. Golden Bell. 2 to 3 it 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft suspensa sieboldi. 1 to 2 ft	35 60 75 1 00 1 50 40	3 20 5 00 6 00 8 00 12 00 2 40	
10 to 12 ft	75 75 1 25 2 00 2 50	6 00 6 00 10 00 18 00 22 00	\$50 00 80 00
Genista tinctoria. Woadwaxen. 6 to 12 in. Seedlings	25	1 80	
2 to 3 ft	40 60 1 00	3 20 5 00 8 00	
3 to 4 ft	$\begin{array}{c} 40 \\ 60 \\ 1 \ 00 \\ 1 \ 50 \\ 2 \ 00 \\ \end{array}$	3 20 5 00	
1 to 2 ft. Seedlings	25	1 80	16 00
arborescens grandiflora. 12 to 18 in paniculata. 18 to 24 in.  Hypericum aureum. GOLDEN ST. JOHN WORT.  1 to 2 ft. Seedlings.  2 to 3 ft. Seedlings.	60 60 20	$\begin{array}{cccc} 4 & 00 \\ 4 & 00 \\ \end{array}$	36 00
bucklei. Dwarf. 6 to 9 in. spread	25 50 60 35 50 40	1 60 4 00 4 00 3 00 4 00 3 60	12 00 30 00 36 00 24 00
12 to 15 ft	40 50 75 1 25 2 00 4 00	3 60 4 00 6 00	32 00 50 00
leptolepis (kaempferi). Japanese Larch.   12 to 18 in	$\begin{array}{c} 75 \\ 1 \ 00 \\ 1 \ 50 \\ 2 \ 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 8 & 00 \\ 12 & 00 \end{array}$	
3 to 4 ft	$     \begin{array}{r}       40 \\       60 \\       25 \\       35     \end{array} $	3 00 5 00 1 60 3 20	$\begin{array}{cc} 40 & 00 \\ 12 & 00 \end{array}$
### Amoor River Priver. Northern form. 1 to 2 ft	25 40 60 35 60 1 00	2 00 3 20 4 00 3 20 4 00 8 00	18 00 24 00 36 00
involucrata flavescens. 3 to 4 ft morrowi. Japanese Bush Honeysuckle.	60 1 00 40	3 20	
1 to 2 ft 2 to 3 ft.  muendeniensis. 1 to 2 ft. Seedlings. 2 to 3 ft  segreziensis. 1 to 2 ft. Seedlings. 18 to 24 in  trichosantha. 2 to 3 ft	60 30 70 40 75	4 00 2 40 6 00 3 20	
trichosantha. 2 to 3 ft.  Lyonia ligustrina. 1 to 2 ft	75 60 75 1 25 60 50	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \\ 10 & 00 \\ 4 & 00 \\ 4 & 00 \end{array}$	
3 to 4 ft	75 75 60 40 60 75 1 00	6 00 4 00 3 20 4 00 6 00 8 00	36 00 50 00
4 to 5 ft.  floribunda atrosanguinea. Scarlet Crab. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ioensis. 1 to 2 ft.	60 75 1 25 75	4 00 6 00 10 00 6 00	36 00 50 00
niedzwetzkyana. Red-Flowering Crab.  1 to 2 ft.  3 to 4 ft.  4 to 5 ft.	60 75 1 00	4 00 6 00 8 00	

#### CATALOG OF BOXFORD NURSERY

#### DECIDUOUS TREES AND SHRUBS, continued

	Each	10	100
Malus prunifolia rinki. 3 to 4 ft			
sargenti. 4 to 6 ftspectabilis. Showy Crab. 1 to 2 ft	1 75	\$5 00	\$40 00
3 to 4 ft	1 00	8 00	##C CC
4 to 5 ft	1 50 75	$\begin{array}{ccc} 12 & 00 \\ 6 & 00 \end{array}$	
3 to 4 ft	1 00	8 00	
Myrica carolinensis (cerifera). Northern Bay-	20	9.40	90.00
BERRY. 6 to 9 in	$\frac{30}{40}$	$\frac{2}{3} \frac{40}{20}$	$\begin{array}{ccc} 20 & 00 \\ 24 & 00 \end{array}$
12 to 18 in	60	5 00	04.00
gale. Sweet Gale. 12 to 18 in	40 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{24}{40} \frac{00}{00}$
Nyssa sylvatica (multiflora). Black Gum.			
1 to 2 ft 2 to 3 ft	$\frac{60}{100}$	5 00	
3 to 4 ft	1 50		
Ostrya virginiana. Ironwood. 4 to 6 ft	$\frac{1}{2} \frac{50}{00}$	12 00	
Oxydendrum arboreum. TREE ANDROMEDA.	2 00		
1 to 2 ft	40	3 60	32 00
2 to 3 ft	60 80	$\frac{5}{7} \frac{00}{20}$	40 00 60 00
5 to 6 ft	1 75	16 00	144 00
Phellodendron amurense. 1 to 2 ft. Seedlingssachalinense. 1 to 2 ft. Seedlings	40 30	$\begin{array}{ccc} 2 & 40 \\ 2 & 00 \end{array}$	16 00
2 to 3 ft. Seedlings	40	2 40	20 00
3 to 4 ft. Seedlings	60		
8 to 10 ft. Specimens	5 00	44 00	
Populus deltoides. Carolina Poplar. 8 to 10 ft.	$1 \ 25$	10 00	
10 to 12 ft	$\frac{1}{3} \frac{75}{50}$	16 00 30 00	
maximowiczi. 3 to 4 ft	1 00		
6 to 8 ft	2 00	18 00	
nigra italica (fastigiata). Lombardy Poplar. 2 to 3 ft	30	2 00	16 00
3 to 4 ft	40 60	3 20 4 00	$\frac{24}{36} \frac{00}{00}$
6 to 8 ft	1 00	8 00	60 00
8 to 10 ft	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{12}{18} \frac{00}{00}$	
Prunus americana. Wild Plum.	2 00	18 00	
2 to 3 ft. Seedlings	$\frac{25}{40}$	1 80 3 20	16 00 24 00
1 to 2 ft 3 to 4 ft	75	6 00	50 00
besseyi. 2 to 3 ft	40	3 60	32 00
3 to 4 ft	$\frac{60}{100}$	$\begin{array}{ccc} 5 & 00 \\ 8 & 00 \end{array}$	40 00
4 to 5 ft	$\frac{60}{40}$	$\frac{4}{3} \frac{00}{20}$	24 00
1 to 2 ft. Seedlings	60	4 00	24 00
tomentosa. Japanese Wild Cherry. 2 to 3 ft. Seedlings	40	2 40	20 00
1 to 2 ft	50	4 00	20 00
3 to 4 ftvirginiana. Red Choke Cherry.	1 00	8 00	
1 to 2 ft. Seedlings	30	2 00	
virginiana leucocarna, yellow Choke	30	2 00	
CHERRY. 1 to 2 ft. Seedlings	4 00	2 00	
10 to 12 ft	6 00 8 00		
macrocarpa. Mossy-Cup Oak. 8 to 10 ft	-5 00		
palustris. PIN OAK. 10 to 12 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	36 00	
12 to 14 tt	6 00	50 00	
14 to 16 ft  prinus. Chestnut Oak. 4 to 6 ft  rubra. Red Oak. 8 to 10 ft	8 00 2 00	70 00	
rubra. Red Oak. 8 to 10 ft	3 00	28 00	
10 to 12 ft	4 50 6 00	40 00 50 00	
Rhamnus dahurica. Buckthorn. 3 to 4 ft	40	3 60	
4 to 5 ft	1 00	8 00	
12 to 18 in. buds	1 25	10 00	90 00
Rhodotypos kerrioides. White Kerria.		1.00	
2 to 3 ft	50 75	$\frac{4}{6} \frac{00}{00}$	
Rhus canadensis (aromatica). Sweet-scented			
Sumac. 6 to 12 in	25	1 60	
glabra. Smooth Sumac. 1 to 2 ft	35 1 00	3 20 8 00	
viscosa. 3 to 4 ft	1 00	8 00	
Rosa carolina. 12 to 18 in. Seedlings	20	1 00	8 00
Rosa carolina.         12 to 18 in.         Seedlings.           coriifolia.         12 to 18 in.            lucida.         GLOSSY ROSE.         12 to 18 in.	$\frac{40}{35}$	$\begin{array}{ccc} 2 & 40 \\ 3 & 20 \end{array}$	
18 to 24 in	50	4 40	

## CATALOG OF BOXFORD NURSERY

<u>L</u>			_		╝
DECIDUOUS TREES AND SHRUBS,	con	tinu	ed		
	ch	10		100	
	00	\$7 : 8		\$60	00
macrophylla. 2 to 3 ft	25 20	1 2		16	00
nutkana. 6 to 12 in. Seedlings	30 40	2	40	20	00
rugosa. Japanese Rose. 1 to 2 ft	40 40	$\frac{2}{2}$	40	20	00
2 to 3 ft	75 50	6 4			00
semenovi. 1 to 2 ft	60	4	00		
spinosissima. Scotch Rose. 1 to 2 ft woodsi. 1 to 2 ft	75 40	6 · 3 :	20	90	00
2 to 3 ft  Rubus deliciosus. Rocky Mountain Flowering Raspberry. 6 to 12 in  odoratus. Flowering Raspberry. 1 to 2 ft	60 75	6	00		
	35	3	20		
SALIX. Our collection of Willows covers almost all planted in the Arnold Arboretum, and we had quantities that have lately been discovered in (Many of the Willows are charming dwarf and se notably beautiful, with bright yellow, brown, a or sometimes covered with a white bloom. The can showy and range from tiny balls of down to game Most of them thrive well in both dry soils and tions.	the	speci	es	that	are
quantities that Arnold Arboretum, and we ha	Chir	a and	lel	sewhe	ere.
notably beautiful, with bright yellow, brown, a	nd	green	bra	anchl	ets,
or sometimes covered with a white bloom. The conshowy and range from tiny balls of down to g	old	ıns ar en yel	e ez lov	ktrem v spil	ely ces.
Most of them thrive well in both dry soils and tions.	l in	very	mo	oist lo	ca-
acutifolia. 15 to 25 ft. Branchlets dark-colored, covered with bloom; long, narrow leaves.	ach	10	,	10	0
3 to 4 ft\$0 5 to 6 ft	40 60	\$3 4	20	\$36	
alba. White Willow, Large tree, 3 to 4 ft	60 80	4			00
4 to 6 ft				00	00
smooth foliage. Pyramidal habit. 3 to 4 ft 4 to 5 ft	40 60	3 4	20 00		
60 ft. Very rich silvery foliage; fine as a single specimen or in groups. 4 to 5 ft	60	4			00
6 to 8 ft  ambigua. 2 to 3 ft. With creeping stems; smooth	75	6		50	00
branchlets; fine sort. 1 to 2 ftaustriaca (grandifolia × purpurea). Tall	40	3	20		
shrub or small tree, with medium-sized broadish leaves, grayish below. 2 to 3 ft	40 60	3			
4 to 5 ft	00	_			
3 to 4 ft 1	00				
blanda. Wisconsin Weeping. Medium tree. Glaucous foliage. 4 to 5 ft	60	5	00		
leaves downy on both sides. 2 to 3 ft 5 to 6 ft	$\frac{40}{75}$	3 6	20 00		00
cordata. Shrub to 15 feet, with long leaves and conspicuous catkins in spring. 1 to 2 ft	40		20	00	00
2 to 3 ft	60 80	5	00 20		
4 to 5 ft.  elegantissima. Thurklow's Weeping Willow.  40 to 60 ft. Rapid growth; one of the best of the pendulous forms. 2 to 3 ft	30	•	20		
the pendulous forms. 2 to 3 ft	30	2		20	00
3 to 4 ft  erdingeri cremensis. Tall shrub; broad leaves, pubescent. 5 to 6 ft	50	4	00	32	00
pubescent. 5 to 6 ft	75	6	00		
fragilis bullata. Tall shrub of compact habit, with large, smooth leaves. 1 to 2 ft	30 60	$\frac{2}{5}$			
smooth leaves. 2 to 3 ft	40 60	3 5			
glaucophylla. Shrubby; striking thick foliage; one of the best. 2 to 3 ft	60	5	00		
3 to 4 ft  gracilistyla. Fine. Shrub; young branchlets tomentose; older reddish brown; acute leaves; large catkins appearing earlier than those of any other willows. 1 to 2 ft	80	7	20		
	40 60	3 5	20 00	24	00
grandifolia. Shrub to 10 feet with rather large, broad leaves, bluish below.  1 to 2 ft	40	3	20		
hastata, female. Shrub to 6 feet. Young branch- lets pubescent: older brown: serrate leaves.	40	0	90		
1 to 2 ft	40 60 40	$\frac{5}{3}$	$\frac{00}{20}$		
2 to 3 ft	60	5	υU		

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS,		tinuad	
Salix irrorata. Colorado Willow. Dwarf. Es	ach	10	100
1 to 2 ft	40	\$3 20	
latifolia (carrea × mursinifolia). Tall shrub	40	3 20	
or small tree with rather broad, medium-sized leaves. 1 to 2 ft	40 60	3 20 5 00	
lucida. Tall shrub or tree to 20 feet, with large shining long-pointed leaves; male catkins late, golden yellow; very handsome. 2 to 3 ft.	40	3 20	\$24 00
3 to 4 ftludificans. Shrubby, smooth leaves, glaucous	60	5 00	
beneath. 2 to 3 ft	40	3 20	
2 to 3 ft	40 60 80	$\begin{array}{ccc} 3 & 20 \\ 5 & 00 \\ 7 & 20 \end{array}$	
myrtilloides, temale. 2 to 3 ft. Shrub or tree; very showy foliage. 3 to 4 ft	60 80	5 00	40 00
neriifolia (purpurea × grandiflora). 3 to 6 feet. Shrub; young branchlets pubescent, later smooth green or brown. 2 to 3 ft	60	5 00	
pentandra. Laurel-leaved Willow. 40 to 60	30	2 40	20 00
feet. Shiny foliage; rapid grower. 1 to 2 ft 2 to 3 ft	40 60 00	3 20 5 00 8 00	40 00
petiolaris. Shrub to 10 feet, with narrow leaves. 3 to 4 ft	60 80	5 00 7 20	
<b>phylicifolia.</b> 3 to 5 feet. Branchlets smooth; polished, glossy foliage. 12 to 18 in	40	3 20	24 00
a to 4 ft  phylicifolia crowiana. Shrub to 5 feet, with stout branches and rather broad leaves, whitish below. 1 to 2 ft	60	5 00	
whitish below. 1 to 2 ft  piperi. Shrub to 20 feet; dark brown branchlets;	40	3 20	
purpurea. Shrub or small tree to 15 feet, with	40	3 20	
slender purple branches, and rather small, narrow leaves. Much used for fine basketwork abroad. 3 to 4 ft	40 60	3 20 5 00	•
purpurea amplexicaulis. Small tree. Similar to S. purpurea, but leaves broader. 1 to 2 ft	60	5 00	
purpurea kecksi. Little different from S. purpurea. 4 to 5 ft	40	3 20	
6 to 7 ft  purpurea lambertiana. Purple Osier. Shrub or small tree with slender purple branches.	80	7 20	
2 to 3 ft	40 60	3 20 5 00	24 00
4 to 5 ft	80 1 00	7 20 8 00	60 00
purpurea sericea. Small tree. Similar to S. purpurea but leaves silky. 3 to 4 ft	$\frac{40}{60}$	$\begin{array}{cc} 3 & 20 \\ 5 & 00 \end{array}$	
repens, female. Fine dwarf procumbent species. 2 to 3 ft	- <mark>60</mark> - 80	$\begin{array}{cc} 5 & 00 \\ 7 & 60 \end{array}$	
repens argentea. Dwarf shrub with small silvery white leaves. 12 to 18 inreuteri (daphnoides × elæagnus). Tall shrub;	60	5 00	
older branchlets brown and often covered with bloom; narrow dark green leaves.  3 to 4 ft	60	5 00	
rubens. Tree with fragile branches; a hybrid between S. alba and S. fragilis. 2 to 3 ft	30	2 40	
4 to 5 ft	60 80	5 00 7 60	40 00
rubens palustris. Tree with fragile branchlets. 2 to 3 ft 4 to 5 ft	$\frac{40}{60}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
rubra. Small shrub. 2 to 3 ft	40 30	3 20 2 40	20 00
3 to 4 ft	40	3 20 3 20	24 00 24 00 24 00
sericea. One of the best dwarf species. 1 to 2 ft. 2 to 3 ft	40 60	5 00	∠*± 00
sesquitertia. Low shrub. 2 to 3 ftsieboldiana. Upright shrub; young branchlets	6 <b>0</b>	5 00	
tomentose, older glabrous; fine dark green foliage, white underneath. 1 to 2 ft 2 to 3 ft 3 to 4 ft	$\frac{30}{40}$	$\begin{smallmatrix}2&40\\3&20\end{smallmatrix}$	
3 to 4 ft	60	5 00	

16

DECIDUOUS TREES AND SHRUBS, c	ontinued	
Salix sordida. Tall shrub, with long, dull green Eac leaves. 3 to 4 ft	h 10 30 \$5 00	100
	5 00	
low. 2 to 3 ft 4	10 3 20 50 5 00	
S. myrsinijolia and S. phylicijolia. 1 to 2 it 4	10 3 20 50 5 00	
basketwork abroad, 3 to 4 ft	30 2 40 40 3 20 50 5 00	
viminalis gmelini. Tree with long, narrow leaves, shining silvery white below. 4 to 5 ft. 4 Sambucus canadensis. American Elder.	10 3 20	
2 to 3 ft. 5 3 to 4 ft. 6 4 to 5 ft. 8 5 to 6 ft. 10 canadensis chlorocarpa. 2 to 3 ft. 1		\$40,00
4 to 5 ft 1 0	80 7 20 8 00	
8 to 10 ft 2 5	50 12 00 50 22 00 40 3 20	
	5 00 5 00 8 00	
6 to 7 ft	50 12 00 50 4 00 50 4 00 50 7 20 50 5 00 50 4 00	32 00
Stewartia pentagyna. Alleghany Stewartia.	75 6 00	50 00
Symphoricarpos racemosus. Snowberry.		40.00
3 to 3½ ft	50     5 00       80     7 20       90     8 00       60     5 00       60     5 00       7 60	40 00 60 00 70 00 40 00
Syringa. Named lilacs on own roots.  Charles X. S. Lilac. 2 to 3 ft	25 10 00 75 6 00	
Geheimrath Ryder.       2 to 3 ft	$\begin{array}{cccc} 00 & 8 & 00 \\ 50 & 12 & 00 \end{array}$	
Ludwig Spaeth.         S. DARK-CRIMSON-PURPLE.           2 to 3 ft		
2 to 3 ft	50 12 00 8 00 8 00 8 00 12 00 00 8 00 25 10 00 8 00	
vulgaris.         S. Common Purple Lilac.           1 to 2 ft., clumps.         6           2 to 3 ft., clumps.         8	50 5 00 80 7 20 25 10 00	40 00 60 00
vulgaris alba. S. Common White Lilac.	80 7 20	90 00 60 00 90 00
Tilia americana.       AMERICAN LINDEN.       4 to 6 ft.       7         8 to 10 ft.       1.5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	160 00
16 to 18 ft	00 00 00 00 8 00	70 00
Ulmus americana.     American Elm. 6 to 8 ft.     1       8 to 10 ft.     1       10 to 12 ft.     2       12 to 14 ft.     4       campestris.     English Elm. 10 to 12 ft.       4 ft.     4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00 160 00 340 00

#### CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS, con	tinued	
Vaccinium corymbosum. Highbush Blueberry. Each	10	100
6 to 9 in. Transplants\$0 30	\$2 40	\$20 00
9 to 12 in. Transplants 40	3 20	24 00
12 to 18 in	$\begin{array}{ccc} 5 & 00 \\ 12 & 00 \end{array}$	40 00
2 to 3 ft	28 00	$100 00 \\ 240 00$
4 to 5 ft. Specimens	36 00	340 00
5 to 6 ft. Specimens 6 00	50 00	400 00
erythrocarpum. 1 to 2 ft	5 00	
pallidum. 6 to 9 in	3 20	24 00
stamineum. Deerberry. 12 to 18 in 60	5 00	
vitis-idæa. Foxberry. 3 to 6 in	8 00	
Viburnum acerifolium. Mapleleaf V. 1 to 2 ft. 50 americanum. 6 to 12 in. Seedlings 25	$\begin{array}{ccc} 4 & 00 \\ 1 & 60 \end{array}$	12 00
1 to 2 ft	5 00	. 12 00
cassinoides. Shawnee Haw, 1 to 2 ft 40	3 20	
2 to 3 ft	5 00	
3 to 4 ft	7 20	
4 to 5 ft	$\frac{10}{18} \frac{00}{00}$	
5 to 6 ft, 2 00 dentatum. Arrow-wood, 4 to 5 ft 1 25	10 00	
5 to 6 ft	16 00	144 00
6 to 7 ft	18 00	111 00
lantana. Wayfaring Tree. 1 to 2 ft	6 00	50 00
2 to 3 ft 1 25	10 00	
lentago. Sheepberry. 1 to 2 ft	4 00	30 00
molle. 3 to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
opulus (oxycoccus). Highbush Cranberry.	0 20	
4 to 5 ft	12 00	
5 to 6 ft	$22 \ 00$	
opulus nanum. 6 to 9 in	$^{3} 20$	
9 to 12 in	7 20	
12 to 18 in	$10 \ 00 \ 16 \ 00$	
18 to 24 in	8 00	
tomentosum. 2 to 3 ft	6 00	
3 to 4 ft., heavy	10 00	
4 to 5 ft., heavy	18 00	
Zanthorhiza apiifolia. Yellow Root.	0.45	00.00
6 to 12 in	2 40	20 00
12 to 18 in., clumps	$\frac{4}{7} \frac{00}{20}$	32 00 60 00
18 to 24 in., heavy clumps 80	1 20	00 00

# Vines and Climbing Plants.

	_		
•	Each	10	100
Actinidia arguta. Silver Vine. Strong		\$6 00	100
Akebia quinata. Strong	. 75	6 00	
Ampelopsis aconitifolia, 1 to 2 ft	. 75	6 00	
quinquefolia engelmanni, 1 to 2 ft	. 40	3 20	
tricuspidata veitchi. 2-yr., heavy		5 00	
Aristolochia sipho. Dutchman Pipe. 1 to 2 ft		5 00	
Celastrus orbiculatus punctatus. 1 to 2 ft. Ligh		1 60	\$12 00
2 to 3 ft		4 00	32 00
3_to 4 ft	. 75	6 00	
scandens. Bittersweet. 1 to 2 ft	. 40	3 20	
Clematis ligusticifolia. Western Species.			
Strong	. 60	5 00	
paniculata. Japanese Clematis. Strong		3 20	
Heavy	. 60	5 00	
virginiana. Virgin Bower. Strong		3 20	
Euonymus obovatus. 9 to 12 in	. 40	3 20	
radicans. CLIMBING EUONYMUS. Strong		3 20	
Heavy		5 00	
radicans minimus (kewensis). Strong		6 00	
radicans variegatus. Strong	. 60	5 00	
radicans vegetus. 6 to 12 in	. 50	4 00	
$1\overline{2}$ to $18$ in		6 00	
Lonicera japonica halliana. HALL HONEY			
SUCKLE. Strong	. 50	4 00	32 00
sempervirens. Coral Honeysuckle. 1 to 2 fe		4 00	
Lycium chinense	. 50	4 00	
Rosa, Climbing and Trailing		6 00	50 00
Dorothy Perkins. Light pink. Setigera	. Single	deep ro	se.
Crimson Rambler. Crimson. Tausend	schon.	Rosy c	armine.
Excelsa. Crimson. Tenness			
Pink Rambler. Pink. Veilchen			lilac.
Queen of the Prairie. Bright pink, White P			
striped white. Wichura		Pure wh	ite, in
Silver Moon. Silvery white, yellow cluster		** 11	
center. Yellow I			w.
Schizophragma hydrangeoides. CLIMBING HYDRANGEA		10	
Vitis heterophylla. 1 to 2 ft		\$5 00	
Wisteria frutescens magnifica			
multijuga			
sinensis alba	. 1 00		

CATALOG OF BOXFORD NURSERY

# Hardy Herbaceous Perennials

A general collection of herbaceous plants usually offered in American catalogues will be supplied at 40 cts. each, \$2.40 for 10, \$20 per 100, in strong plants; clumps of many varieties can be supplied at double these prices. Rare varieties will be charged for according to value.

will be charged for according to value.	ach	10	100
Actæa rubra. Red Baneberry, 1-yr. Seedlings. \$0		\$2 40	\$20 00
Asters, native, in variety	20	1 80	16 00
Carex fraseri. Evergreen Sedge	30	2 40	10 00
Dicentra eximia. WILD BLEEDING HEART.	00	_ 10	
Clumps	40	3 60	32 00
Galax aphylla. Coltsfoot. Clumps	50	4 40	02 00
Helianthus decapetalus	30	2 40	20 00
Hemerocallis fulva. Yellow Day Lily	30	$\frac{2}{2} \frac{40}{40}$	20 00
Hepatica triloba	30	$\frac{2}{2} \frac{40}{40}$	20 00
Iris lævigata (kaempferi). JAPANESE IRIS	30	$\frac{2}{2} \frac{40}{40}$	20 00
Liatris spicata	30	2 40	20 00
Lilium hansoni. Japanese Species. 1st size 1	. 00	8 00	20 00
tenuifolium. Siberian Coral Lily. 1st size	60	5 00	
tigrinum. Tiger Lily. 1st size	30	2 40	20 00
For other American Native Lilies, see page 23.	50	2 10	20 00
Monarda didyma. Bee Balm	30	2 40	
		2 40	90.00
fistulosa	30 40	3 60	$\begin{array}{cccc} 20 & 00 \\ 32 & 00 \end{array}$
Pæonia, Mixed	. 00	8 60	
			80 00
Parnassia caroliniana	30	2 40	20 00
Phlox amœna	30	2 40	20 00
paniculata, in variety	30	2 40	20 00
stellaria	40	3 60	32 00
subulata. Purple. Clumps	30	2 40	20 00
Bright pink. Clumps	30	2 40	20 00
subulata alba. WHITE PHLOX	30	2 40	20 00
Polygonatum commutatum. Solomon Seal	30	2 40	
Porteranthus (Gillenia) stipulata. Strong	30	$^{2}40$	
Sanguinaria canadensis. BLOODROOT. 1-yr. Seed-			
lings	20	1 80	16 00
Sarracenia catesbæi, drummondi, minor, psit-			
tacina, purpurea, rubra	40	3 60	
Saxifraga cordifolia	40	3 60	
Sedum (Stonecrop) in variety	30	$^{240}$	20 00
Sempervivum arachnoideum, fimbriatum, glob-			
iferum, tectorum	30	2 40	20 00
Solidago. Goldenrod, in variety	20	1 80	16 00
Stenanthium robustum. Mountain Feather			
Fleece. 1st size	40	3 60	32 00
Stokesia cyanea	30	2 40	20 00
Thermopsis caroliniana	30	2 40	20 00
Thymus serpyllum album, and lanuginosus	30	2 40	20 00
Trillium grandiflorum. Large-flowered Wake-	0.0		
ROBIN	20	1 00	6 00
Viola pedata, clumps	20	1 80	16 00
_ pedata bicolor	30	2 40	20 00
Yucca filamentosa	50	4 00	36 00
glauca. Adam Needle	50		

# Ferns

Adiantum pedatum. Maidenhair Fern	30	2 40	20 00
Asplenium ebeneum	30	2 40	20 00
filix-fœmina. Lady Fern	30	2 40	20 00
trichomanes. Maidenhair Spleenwort	30	2 40	20 00
Cystopteris bulbifera. BLADDER FERN	30	2 40	20 00
fragilis. Brittle Fern	40	3 60	32 00
Dennstædtia (Dicksonia) punctilobula. HAY-			
SCENTED FERN	20	1 80	16 00
Dryopteris acrostichoides. Dagger Fern	30	2 40	20 00
booti	40	3 60	
cristatum	30	2 40	20 00
goldiena. Goldie Fern	40	3 60	
marginalis. Shield Fern	30	2 40	20 00
noveboracensis. New York Fern	30	2 40	20 00
spinulosa. Spinulose Shield Fern	-30	2 40	20 00
thelypteris. Marsh Shield Fern	30	2 40	20 00
Lygodium palmatum. CLIMBING FERN	40	3 60	
Matteuccia (Onoclea) struthiopteris	40	3 60	
Onoclea sensibilis. Sensitive Fern	30	2 40	
Osmunda cinnamomea. CINNAMON FERN	40	3 60	32 00
claytoniana. Clayton Fern	40	3 60	32 00
regalis. ROYAL FERN	40	3 60	32 00
Phegopteris polypodioides	30	2 40	20 00
Phyllitis scolopendrium	75	6 00	
Polypodium vulgare. POLYPODY	20	1 80	
Woodsia ohtusa. BLUNT-LORED WOODSIA	30	2 40	

**PRICES** 

in this catalog abrogate all previous price-lists or quotations

# Price-List of Highlands Nursery SPECIAL NOTICE

Highlands Nursery, Pineola, North Carolina, lies on the crest of the Aleghany Mountains, at 3,800 feet elevation, insuring absolutely hardy stock. It is the native home of the most beautiful and hardiest Broad-leave.

stock. It is the native home of the most beautiful and hardiest Broad-leaved Evergreens and Ericaecous plants indigenous to America.

Labor conditions and lack of adequate shipping facilities have made it seem best to close out this nursery. Much of the best material is already growing at my Boxford Nursery where soil and a vigorous New England climate combine to produce well-nigh perfect conditions for propagating these first bines. climate combine to produce well-nigh periect conditions for propagating these fine things.

It is an excellent opportunity to secure fine material at prices that will probably not be duplicated again. Those wishing car-lots will do well to correspond with me at once and secure very special rates.

For our customers who may wish "collected" Rhododendrons and Kalmias we will still continue to handle these direct from the high southern mountains. See page 24.

# DECIDUOUS AND EVERGREEN Trees, Shrubs, Woody Vines

NOTE.—All plants are transplanted and nursery-grown, unless plainly marked otherwise. This is a catalog of nursery-grown plants growing at my Highlands Nursery, Pineola, North Carolina. All communications should be addressed: Harlan P. Kelsey,

Owner, Salem, Massachusetts.

Each 10 100 \$1 75 \$15 00 \$200 00 2 75 25 00 \$200 00 4 00 35 00 300 00 5 00 45 00 400 00 25 2 00 15 00 35 3 00 45 4 00 60 5 00 2 00 Owner, Salem, Massachuseuss

Abies fraseri, Fraser Balsam Fir. E.

3 to 4 ft. \$1

4 to 5 ft. 2

5 to 6 ft. 4

6 to 8 ft. 5

5 to 2 ft. 5

6 to 8 ft. 5 5 to 6 ft.
6 to 8 ft.
Acer saccharum. 2 to 3 ft.
3 to 4 ft.
4 to 6 ft.
6 to 8 ft.

Æsculus octandra. 2 to 3 ft.
Alnus rugosa. 4 to 6 ft.
6 to 8 ft.
Amelanchier canadensis. 1 to 2 ft. 40 00 00 60 00 2 to 4 ft..... 4 to 6 ft..... 6 to 8 ft..... 2 00 3 00 25 15 00  $\overline{35}$ Ampelopsis engelmanni "Collected" plants at \$30 per 1,000.

Aralia spinosa. 2 to 4 ft. 15 1

Aronia arbutifolia. 1 to 2 ft. 30 2

2 to 3 ft. 40 3

melanocarpa (nigra). 1 to 2 ft. 40 3

melanocarpa (nigra). 1 to 2 ft. 40 3

at 0 4 ft. 5 ft. 75 5

Azalea arborescens. 6 to 12 in. 40 3

12 to 18 in. 65 5 1 00 2 00 2 00 00 3 00 50 00 12 00 2 to 3 ft.
3 to 4 ft.
4 to 5 ft.
12 to 18 in.
18 to 24 in.
6 to 12 in., clumps.
12 to 18 in., clumps.
12 to 18 in., clumps.
12 to 18 in., clumps.
12 to 24 in., clumps.
18 to 24 in., clumps.
18 to 24 in., clumps.
19 to 3 ft., clumps.
10 tea. Great Flame Azalea. 6 to 12 in.
12 to 18 in., clumps.
13 to 24 in., clumps.
14 to 24 in., clumps.
15 to 24 in., clumps.
16 to 12 in., clumps.
17 to 18 in., clumps.
18 to 24 in., clumps.
19 to 18 in., clumps.
10 to 18 in., clumps.
10 to 18 in., clumps.
11 to 18 in., clumps.
12 to 18 in., clumps.
12 to 18 in., clumps.
13 to 24 in., clumps.
14 to 18 in., clumps.
15 to 18 in., clumps.
16 to 12 in., clumps.
17 to 18 in., clumps.
18 to 24 in., clumps.
19 to 18 in., clumps.
19 to 4 in., clumps.
10 to 19 in., clumps.
20 to 3 it. Seedlings.
21 to 4 in., clumps.
22 to 3 it. Seedlings.
23 to 4 ft. Seedlings.
35 to 4 ft. Seedlings.
36 to 12 in.
37 to 2 ft...
38 to 10 ft... 00 00 00 00 50 65 00 45 00 65 00 7 50 8 00 10 00 18 00 35 00 2 50 5 00 2 50 4 00 5 00 4 50 8 00 14 00 18 00 20 00 30 00 40 00 35 00 70 00 115 00 35 50 75 65 00 160 00 25 00 2 50 4 00 35 50 18 00 80  $\frac{1}{3}$ 503 50 6 00 30 00 50 25 10 00 50 50 00  $\overline{40}$ 50 75 75 3 6 00 8 00 65 00 80 00 8 00 4 00 5 00 50 00 1 00 50 60 75 1 00 15 10  $\frac{15}{18}$ 6 00 8 00 25 50 25  $\frac{20}{20}$ 1 15 25 5 00 7 50 12 00  $\frac{65}{00}$ | Carpinus caroliniana. 6 to 8 it...
| 8 to 10 ft...
| 10 to 12 ft...
| Castanea pumila, Chinkapin. 3 to 4 ft...
| 4 to 6 ft...
| Celastrus orbiculatus punctatus. 1 to 2 ft...
| 2 to 3 ft...
| scandens. 1 to 2 ft...
| Chamædaphne calyculata. 12 to 18 in...
| 18 to 24 in... 50 60 50  $\frac{25}{35}$ 00  $\frac{16}{20} \frac{00}{00}$ 

16 00

# KELSEY'S HARDY SPECIMEN EVERGREENS CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS, WOODY VINI	ES, cont	inued 10	100
Clethra acuminata. 1 to 2 ft	\$0 20	\$1 50	100
2 to 3 ft		$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	\$30 00
4 to 5 ft	75	6 00	
<b>alnifolia.</b> 6 to 12 in	35	$\begin{array}{cc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{12}{20} \frac{00}{00}$
Comptonia asplenifolia. 1 to 2 ft Corylus americana. 1 to 2 ft	20	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
2 to 3 ft	35	$^{2} 50$	20 00
3 to 4 ft		$\frac{4}{7} \frac{00}{00}$	$\frac{30}{60} \frac{00}{00}$
6 to 8 ft rostrata. 1 to 2 ft	1 00	$\frac{9}{1} \frac{00}{50}$	12 50
2 to 3 ft	35	$2^{-}50$	15 00
3 to 4 ft	50	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{45} \frac{00}{00}$
Cratægus coccinea. 4 to 12 m	10	80	7 00
1 to 2 ft 2 to 3 ft	30	$\begin{array}{ccc} 1 & 00 \\ 2 & 00 \end{array}$	
3 to 4 ft punctata. 6 to 12 in. Seedlings	40	3 00 60	5 00
3 to 4 ft	40	3 00	3 00
6 to 8 ft	60	$\begin{array}{ccc} 5 & 00 \\ 1 & 50 \end{array}$	10 00
Gaylussacia baccata (resinosa). 6 to 12 in 1 to 2 ft	30	2 00	18 00
ursina. 1 to 2 ft	50	$\begin{array}{cc} 4 & 00 \\ 2 & 50 \end{array}$	18 00
Hypericum aureum. 1 to 2 ft	25	$^{2-00}$	16 00
2 to 3 ft	i. 20	$\begin{array}{ccc} 3 & 00 \\ 1 & 00 \end{array}$	8 00
2 to 3 ft	30	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	
2 to 3 ft	40	3 00	20 00
Ilex decidua. 1 to 2 ft	25	$\frac{2}{3} \frac{00}{00}$	
3 to 4 ft	60	4 00	
4 to 6 ft	1 00	$\begin{array}{ccc} 8 & 00 \\ 1 & 50 \end{array}$	12 00
2 to 3 ft	40	$2^{-}50$	18 00
3 to 4 ft	$\begin{array}{cccc} & 75 \\ & 1 & 00 \end{array}$	$\begin{array}{ccc} 5 & 00 \\ 8 & 00 \end{array}$	
<b>opaca.</b> 6 to 12 in		$\begin{array}{ccc} 2 & 50 \\ 10 & 00 \end{array}$	
3 to 4 ft	2 00	10 00	
4 to 5 ft  verticillata. 1 to 2 ft		3 00	
Kalmia augustifolia. 6 to 12 in	25	2 00	90.00
12 to 18 in	50	$\frac{4}{2} \frac{00}{00}$	30 00
12 to 18 in	45	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\frac{30}{50} \frac{00}{00}$
18 to 24 in	1 00	8 00	75 00
18 to 24 in., clumps  For Kalmia in carload lots, see page 24.	2 00	16 00	150 00
Leiophyllum buxifolium. 6 to 12 in	25	2 00	
12 to 18 in	40	$\begin{array}{ccc} 3 & 50 \\ 1 & 50 \end{array}$	12 00
3- to 6-in., spread	30	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$
Leucothoe catesbæi. 12 to 18 in	75	6 00	$50 \ 00$
12 to 18 in., clumps	$\begin{array}{cccc} & 1 & 00 \\ 000 & & 10 \\ \end{array}$	$\begin{array}{c} 8 & 00 \\ 50 \end{array}$	$\begin{array}{ccc} 75 & 00 \\ 4 & 00 \end{array}$
Strong	20	1 00	8 50
Strong Lyonia ligustrina. 1 to 2 ft. Malus coronaria. 1 to 2 ft. 2 to 3 ft.	30	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	15 00
2 to 3 ft	50 65	$\frac{4}{5} \frac{00}{00}$	
4 to 5 ft.	1 00	8 00	
Menziesia pilosa. 1 to 2 ft Nyssa sylvatica. 1 to 2 ft	60	$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	$\frac{40}{20} \frac{00}{00}$
2 to 3 ft	60	4 00	20 00
3 to 4 ft	1 00	6 00 9 00	
4 to 5 ft Oxydendrum arboreum. 6 to 12 in	20	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	$\frac{10}{15} \frac{00}{00}$
1 to 2 ft	40	3 00	22 00
3 to 4 ft	50	$\frac{4}{5} \frac{00}{00}$	$\frac{30}{40} \frac{00}{00}$
5 to 6 ft	1 00	8 00	60 00
6 to 7 ft	1 25	$\begin{array}{ccc} 10 & 00 \\ 1 & 00 \end{array}$	8 00
12 to 18 in	25	2 00 80	6 00
pungens. 6 to 12 in. Seedlings	20	1 00	8 00
6 to 12 in	25	$\begin{array}{cc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{10}{16} \frac{00}{00}$
1 to 2 ft	1 60	15 00	$120 \ 00$
18 to 24 in	2 00	$\frac{18}{15} \frac{00}{00}$	140 00
12 to 14 ft	2 00	18 00	$160 \ 00$
ponderosa. 1 to 2 ft	20	$\begin{array}{cc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{10}{15} \frac{00}{00}$
3 to 4 ft	40	3 00	20 00
4 to 5 ft	60	5 00	

# CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS, WOODY VINES	, c	ont	inued	
Pinus flexilis. 6 to 12 in	F	Cach	10	100
1 to 2 ft		40	3 5	0
rigida. 8 to 10 ft Prunus pumila. 6 to 12 in		50 15	10 0 1 0	
Pseudotsuga douglasi (taxifolia). 6 to 12 in		$\frac{25}{25}$	$\begin{array}{c} 1 \ 5 \\ 1 \ 5 \end{array}$	
1 to 2 ft 2 to 3 ft		40		0 15 00
Quercus palustris. 10 to 12 ft	. 3		30 0	0
12 to 15 ft prinus. 6 to 8 ft	. 3		$\frac{40}{25} \frac{0}{0}$	
8 to 10 ft	. 4	$\frac{00}{25}$	$\begin{array}{ccc} 30 & 0 \\ 2 & 0 \end{array}$	
12 to 18 in., clumps	. 1	50	$12 \ 5$	0 - 110 00
18 to 24 in., clumps	. 3		$\frac{20}{30} \frac{0}{0}$	
3 to 4 ft., clumps	. 5	00 50	45 0	0 400 00
maximum. 3 to 6 in		20	1 2	5 10 00
9 to 12 in		$\frac{30}{45}$	$\begin{array}{ccc} 2 & 0 \\ 3 & 5 \end{array}$	$egin{pmatrix} 0 & 16 & 00 \ 0 & 28 & 00 \end{bmatrix}$
18 to 24 in	. 1	00 50	$\begin{array}{c} 6 & 0 \\ 12 & 0 \end{array}$	$egin{pmatrix} 0 & 50 & 00 \ 0 & 100 & 00 \end{bmatrix}$
18 to 24 in., clumps	. 2	00	18 0	0 150 00
2 to 3 ft., clumps		$\frac{00}{40}$	$\frac{25}{3} \frac{0}{0}$	
Rhus typhina. 2 to 3 ft		$\frac{25}{35}$	$\frac{1}{2} \frac{5}{5}$	
Robinia hispida. 1 to 2 ft.		20	1 5	0 - 10 00
viscosa. 4 to 6 ft		$\frac{60}{15}$	4 0 1 0	
1 to 2 ft		$\frac{25}{15}$	2 0	
2 to 3 ft		20	1 5	0 12 00
humilis. 1 to 2 ftlucida. 1 to 2 ft		$\frac{25}{25}$	$\frac{2}{2} \frac{0}{0}$	
nitida. 6 to 12 in		$\frac{20}{25}$	1 50 2 00	0 - 12 00
nutkana. 1 to 2 ft		35	3 0	0
woodsi. 6 to 12 in. Seedlings Rubus canadensis. 1 to 3 ft		$\frac{35}{15}$	3 00	
laciniatus. 1 to 3 ft		$\frac{25}{20}$	$\frac{2}{1} \frac{0}{50}$	0 15 00
Sambucus canadensis. 3 to 4 ft		30	2 5	0
4 to 6 ft racemosa. 3 to 4 ft		$\frac{45}{45}$	3 50 3 50	
racemosa. 3 to 4 ft	1	$\frac{50}{50}$	3 50 10 00	
4 to 6 ft	. 3	00	20 00	)
Tsuga canadensis. 3 to 4 ft	1	$\frac{75}{00}$	15 00 35 00	
6 to 7 ft	6	00	50 00 80 00	
caroliniana. Carolina Hemlock 12 to 18 in.	. 1	00	9 00	80 00
18 to 24 in	$\frac{1}{2}$	50 50	$\frac{12}{20} \frac{00}{00}$	
Some perfect specimens of this grand Hemlock,	16			
will be sold on special terms. Anyone desiring to n for immediate effect can find nothing their equal els	ew.	$_{ m here}^{ea}$	and sl	nould cor-
respond with us at once.  They lift with very large ball and can be considered.	ed f	or o	arload	shipment
only. For description of the Carolina Hemlock, see		nt	page co	over.
Vaccinium erythrocarpum 1 to 2 ft macrocarpon. Clumps	\$0	50	10 \$4 00	
pallidum. 1 to 2 ft., clumps		10 60	75 5 00	5 \$5 00 40 00
2 to 3 ft., clumps.  pennsylvanicum. 4 to 12 in.	1	00 40	8 00	)
stamineum. 1 to 2 ft		25	2 00	16 00
6 to 12 in., clumps		30 50	2 50 3 50	
18 to 24 in., clumps	1	$\frac{75}{00}$	6 00 8 00	)
2 to 3 ft., clumps	1	30	2 50	20 00
2 to 3 ft		40 50	3 00 4 00	)
alnifolium. 6 to 12 in		$\frac{30}{45}$	2 50 4 00	
cassinoides. 1 to 2 ft		25	2 00	15 00
2 to 3 ft		$\frac{40}{50}$	3 00 4 00	35 00
4 to 6 ft	1	90 50	8 00 12 00	
6 to 8 ftdentatum. 3 to 6 in. Seedlings	•	10	75	5 00
6 to 12 in. Seedlings. 1 to 2 ft		$\frac{15}{25}$	$\frac{1}{2} \frac{00}{00}$	
Zanthorbiza amiifolia 2 to 6 in \$30 per 1 000		$\frac{10}{15}$	60 75	4 00
6 to 12 in. \$50 per 1,000		20	1 00	8 00
3 to 6 in., clumps. \$70 per 1,000 6 to 12 in., clumps. \$80 per 1.000		$\frac{20}{25}$	1 00 1 50	
18 to 24 in., clumps		50	4 00	
99				

## CATALOG OF HIGHLANDS NURSERY

## Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants

	e1 -	00	200	
Aconitum uncinatum	- OI	00		
Actæa alba	. 1	75		
Allium cernuum		25	\$8 00	
Amsonia tabernæmontana	. 1	00		
Arisema triphyllum	. 1	00		
Asarum macranthum. "Collected"	- ĩ	00	8.00	
Astron inacrantinum. Confected				670 00
Asters, in variety	. 1	00	0 00	\$70 00
Galax aphylla. "Collected" clumps	. 1	00	8 00	60 00
Gaultheria procumbens. "Collected" clumps	. 1	50	8 00	60 00
Gentiana andrewsi	- 1	00	6 00	
Gillenia stipulata. Strong	1	00	8 00	
Gillenia stipulata. Strong	. 1			
Habenaria ciliaris	. 1	00	8 00	
Heuchera villosa	. 1	00	.8 00	
Iris cristata	. 1	50	10 00	80 00
pseudacorus	. 1	00	8 00	
verna. Clumps	. î	50	10 00	
		00	8 00	
Liatris spicata	. 1	00	3 00	
LILIUM carolinianum. CAROLINA LILY.				
1 and 2 yr., from scales		50	4 00	35 00
2d size	. 1	00	7 00	
1st size	. 1	25	10 00	
grayi. 1 and 2 yr., from scales		50	4 00	35 00
2d size	. 1	00	6 00	50 00
1st size	. 1	25	10 00	80 00
1st sizesuperbum. Turk-Cap Lily. 3d size		$\frac{20}{40}$	2 50	20 00
9d size		75	$\frac{2}{5} \frac{30}{00}$	35 00
2d size	. 1	00	8 00	65 00
Ist size				
Characteris Confected	. 1	25	10 00	80 00
Chamæiirium iuteam	. 1	00	8 00	70 00
Cicuta maculata	. 1	00	8 00	H0
Cicuta maculata Cimicifuga americana racemosa	. 1	00	8 00	70 - 00
racemosa		75	6 - 00	50 - 00
Clematis crispa	. 2	75	20 - 00	
Clematis crispa Clintonia umbellata Coreopsis lanceolata		75	6.00	
Coreopsis lanceolata		75	6.00	
major		75	6 00	
rosea	. 1	00	8 00	
rosea. verticillata. Cypripedium hirsutum. Light	. 1	00	0 00	
Cyprinadium hirsutum Light		75	5.00	40.00
Strong	. 1	25	10 00	80.00
Strong	. 1	00	10 00	50 00
Dioscorea villosa	. 1			
Diphylleia cymosa	. 1	25		
Disporum lanuginosum	. 1	25		
Diphylleia cymosa.  Disporum lanuginosum.  Epigæa repens. Trailing Arbutus. "Collected	, ,			
ciumps	. 1	50	$12 \ 00$	100 00
clumps	. 1	50	12 00	100 00
FERNS. Hardy Native Species.	. 1			100 00
FERNS. Hardy Native Species.	. 1	25	10 00	100 00
FERNS. Hardy Native Species. Adiantum pedatum	. 1	25 00	10 00 8 00	100 00
FERNS. Hardy Native Species. Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum	. 1 . 1 . 1	$\frac{25}{00}$	10 00 8 00 7 00	100 00
FERNS. Hardy Native Species. Adiantum pedatum Asplenium filix-fœmina. Botrychium virginianum Dryonteris acrostichoides.	. 1 . 1 . 1	25 00 00 00	10 00 8 00 7 00 8 00	
FERNS. Hardy Native Species. Adiantum pedatum Asplenium filix-fœmina. Botrychium virginianum Dryonteris acrostichoides.	. 1 . 1 . 1	25 00 00 00 00	10 00 8 00 7 00 8 00 8 00	\$60 00
FERNS. Hardy Native Species. Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa.	. 1 . 1 . 1 . 1	25 00 00 00 00	10 00 8 00 7 00 8 00	
FERNS. Hardy Native Species. Adiantum pedatum. Asplenium filik-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an	. 1 . 1 . 1 . 1 . 1	$\begin{array}{c} 25 \\ 00 \\ 00 \\ 00 \\ 00 \\ 00 \end{array}$	10 00 8 00 7 00 8 00 8 00 8 00	\$60 00 60 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fæmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis.	. 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00	\$60 00 60 00 00 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis.	. 1 . 1 . 1 . 1 . 1 . 1 d	25 00 00 00 00 00 00 75	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00	\$60 00 60 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filik-fœmina. Botychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps.	. 1 . 1 . 1 . 1 . 1 d	25 00 00 00 00 00 50 75 50	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00	\$60 00 60 00 00 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa.  Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma.	. 1 . 1 . 1 . 1 . 1 . 1 d	25 00 00 00 00 00 50 75 50 25	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00	\$60 00 60 00 00 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa.  Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 6 00	\$60 00 60 00 00 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 8 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 6 00 8 00 6 00	\$60 00 60 00 00 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 8 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides marginalis spinulosa. Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis. Solidago in variety.	. 1 . 1 . 1 . 1 . 1 dd . 1 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 6 00 8 00 6 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides marginalis spinulosa. Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis. Solidago in variety.	. 1 . 1 . 1 . 1 . 1 dd . 1 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 6 00 8 00 8 00 6 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa.  Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece 3d size.	. 1 . 1 . 1 . 1 . 1 dd . 1 1 1 1 1 1 1 1	$\begin{array}{c} 25 \\ 00 \\ 00 \\ 00 \\ 00 \\ 00 \\ 00 \\ \end{array}$ $\begin{array}{c} 50 \\ 75 \\ 50 \\ 25 \\ 75 \\ 00 \\ 75 \\ \end{array}$	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 6 00 8 00 6 00 8 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa.  Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece 3d size.	. 1 . 1 . 1 . 1 . 1 dd . 1 1 1 1 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 6 00 8 00 6 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa.  Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophylluta peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece 3d size.	. 1 . 1 . 1 . 1 . 1 dd . 1 1 1 1 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 10 00 10 00 6 00 8 00 6 00 8 00 6 00 8 00 8 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum Polygonatuna commutatum Sanguinaria canadensis. Solidago in variety Steironema ciliatum and terrestris Stenanthium robustum. Mountain Feather FLEECE. 3d size. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 dd . 1 . 1 1 1 1 1 1 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 10 00 10 00 6 00 8 00 6 00 8 00 6 00 8 00 8 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00	\$60 00 60 00 00 00 50 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00	\$60 00 60 00 00 00 50 00 36 00 65 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75 00 00 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 6 00 6 00 8 00 6 00 8 00 6 00 8 00 3 00	\$60 00 60 00 00 00 50 00 36 00 65 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 25 75 00 75 00 75 00 40	10 00 8 00 7 00 8 00 8 00 8 00 12 00 10 00 10 00 6 00 6 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00 3 00 8 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 00 50 75 50 75 00 75 00 00 40 40 40 40 75 30	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 8 00 6 00 8 00 6 00 20 00 8 00	\$60 00 60 00 00 00 50 00 36 00 18 00 30 00 15 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides marginalis spinulosa Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis Solidago in variety Steironema ciliatum and terrestris Stenanthium robustum. Mountain Feathe Fieece. 3d size 2d size. 1st size. Thermopsis caroliniana Tradescantia montana Trillium erectum. 2d size. 1st size. grandiflorum. 2d size 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. stylosum. 2d size.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 50 75 50 25 75 00 75 00 75 00 00 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 8 00 8 00 8 00 8 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather FLEECE. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	25 00 00 00 00 50 75 50 25 75 00 75 00 00 40 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 8 00 6 00 8 00 6 00 8 00 6 00 20 00 8 00 20 00 8 00	\$60 00 60 00 00 00 50 00 36 00 18 00 30 00 15 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatuna commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather FLEECE. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. Steles.	. 1 . 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 50 75 50 25 75 00 75 00 75 00 40 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 8 00 8 00 8 00 8 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 15 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatuna commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather FLEECE. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. Steles.	. 1 . 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 50 75 50 25 75 00 75 00 75 00 40 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 8 00 8 00 8 00 6 00 8 00 8 00 20 00 8 00 20 00 8 00 4 00 4 00 4 00	\$60 00 60 00 00 00 50 00 36 00 18 00 30 00 15 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 75 50 25 75 00 75 00 50 40 75 30 60 60 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 10 00 8 00 6 00 8 00 6 00 8 00 20 00 8 00 20 00 3 50 4 00 4 00 6 00	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 00 50 75 55 75 00 75 60 60 75 60 75 60 75	10 00 8 00 7 00 8 00 8 00 8 00 10 00 10 00 6 00 8 00 6 00 8 00 8 00 6 00 20 00 8 00 20 00 8 00 4 00 6 00 5 00 6 00 5 00 5 00 5 00 6 00 5 00 5	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 15 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 00 75 50 75 00 75 00 00 00 40 75 30 60 60 60 75 50 00 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00 20 00 8 00 20 00 8 00 4 00 6 00 5 00 6 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 . 1 . 1 1 1 1 1 1 1 1 1 1 1	25 00 00 00 00 00 50 75 00 75 00 75 00 40 75 30 60 60 75 75 75 75 90 90 90 90 90 90 90 90 90 90 90 90 90	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 8 00 8 00 6 00 8 00 10 00 20 00 8 00 3 00 2 00 3 50 4 00 6 00 4 00 6 00 8 00 8 00 8 00 8 00 8 00 8 00 8	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides. marginalis spinulosa. Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis Solidago in variety Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feathe Fieece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana Trillium erectum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. undulatum. 2d size. 1st size. Stenumun 2d size. 1st size. Stylosum. Strong. Viola cucullata pedata bicolor	. 1 . 1 . 1 1	25 00 00 00 00 50 75 50 25 75 00 75 00 00 50 60 60 60 60 60 60 60 60 60 60 60 60 60	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 6 00 8 00 6 00 8 00 6 00 8 00 6 00 20 00 8 00 20 00 8 00 4 00 6 00 5 00 6 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides. marginalis spinulosa. Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis Solidago in variety Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feathe Fieece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana Trillium erectum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. undulatum. 2d size. 1st size. Stenumun 2d size. 1st size. Stylosum. Strong. Viola cucullata pedata bicolor	. 1 . 1 . 1 1	25 00 00 00 00 50 50 25 75 00 75 00 40 60 60 60 75 60 75 60 75 75 60 75 75 75 75 75 75 75 75 75 75 75 75 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 8 00 8 00 8 00 8 00 3 00 5 00 2 00 3 00 4 00 6 00 8 0	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 15 00 25 00 30 00 40 00
FERNS. Hardy Native Species.  Adiantum pedatum. Asplenium filix-fœmina. Botrychium virginianum. Dryopteris acrostichoides. marginalis. spinulosa. Osmunda cinnamomea, claytoniana, an regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	. 1 . 1 . 1 1	25 00 00 00 00 50 50 25 75 00 75 00 40 60 60 60 75 60 75 60 75 75 60 75 75 75 75 75 75 75 75 75 75 75 75 75	10 00 8 00 7 00 8 00 8 00 8 00 12 00 6 00 10 00 6 00 8 00 8 00 8 00 6 00 8 00 10 00 20 00 8 00 3 00 2 00 3 50 4 00 6 00 4 00 6 00 8 00 8 00 8 00 8 00 8 00 8 00 8	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 25 00
FERNS. Hardy Native Species.  Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides. marginalis spinulosa. Osmunda cinnamomea, claytoniana, an regalis Pteridium aquilinum Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum Polygonatum commutatum Sanguinaria canadensis Solidago in variety Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feathe Fieece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana Trillium erectum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. undulatum. 2d size. 1st size. Stenumun 2d size. 1st size. Stylosum. Strong. Viola cucullata pedata bicolor	. 1 . 1 . 1 . 1 . 1 . 1 1 1	25 00 00 00 00 50 75 50 25 50 75 00 75 00 75 00 75 00 75 00 75 50 00 75 00 00 00 00 00 00 00 00 00 00 00 00 00	10 00 8 00 7 00 8 00 8 00 8 00 8 00 12 00 6 00 6 00 8 00 6 00 8 00 6 00 20 00 8 00 20 00 8 00 20 00 8 00 5 00 6 00 20 00 8 00 10 00 10 00 8 00 6 00 8 00 8 00 8 00 8 00 8 00	\$60 00 60 00 00 00 50 00 36 00 65 00 18 00 30 00 15 00 25 00 30 00 40 00

#### CATALOG OF HIGHLANDS NURSERY

# \*Rhododendrons and Mountain Laurel

#### "COLLECTED" CLUMPS BY THE CARLOAD

For the area covered and effect produced, a carload of Rhododendrons For the area covered and effect produced, a carload of Rhododendrons or Kalmias is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and the fine hair-like rootlets inevitably exposed, You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used.

The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 pounds.

"Mixed" cars of collected Rhododendrom catawbiense, Rhododendrom maximum, and Kalmias will be sent if desired.

A car may be easily loaded much heavier, with proportionate increased freight charge.

A full car travels with greater safety than one with a small load.

All "clumps" offered below are collected with a good ball and are burlaped separately.

laped separately.

On collected collected clumps burlaping is always charged extra as below.

We always burlap clumps unless expressly ordered otherwise.

# PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

Rhododendron catawbiense.	10	100	1,000
1 to 2 ft., "collected" clumps	\$12 00	\$100 00	\$900 00
2 to 3 ft., "collected" clumps	18 00	160 00	1400 00
3 to 4 ft., "collected" clumps			2200 00
4 to 5 ft., "collected" clumps			
Rhododendron maximum. The Great Am			
1 to 2 ft., "collected" clumps	\$10 00	\$88 00	\$800 00
2 to 3 ft., "collected" clumps	. 14 00	$120 \ 00$	1000 00
3 to 4 ft., "collected" clumps	22 00	200 00	1800 00
4 to 5 ft., "collected" clumps			
5 to 6 ft., "collected" clumps			
6 to 7 ft., "collected" clumps			
Kalmia latifolia. Mountain Laurel.			
1 to 2 ft., "collected" clumps	. 8 00	76 00	680 00
2 to 3 ft., "collected" clumps	. 14 00	$120 \ 00$	1000 00
3 to 4 ft., "collected" clumps			1800 00

#### CARLOADS IN MIXED SIZES

Rhododendron catawbiense, "collected" clumps.	
Car containing 200 clumps, 1 to 3½ ft., for\$280	00
Car containing 300 clumps, 1 to $3\frac{1}{2}$ ft., for 380	00
Car containing 400 clumps, 1 to $3\frac{1}{2}$ ft., for 500	00
Car containing 600 clumps, 1 to $3\frac{1}{2}$ ft., for 660	00
Rhododendron maximum, "collected" clumps.	
Car containing 300 clumps, 1½ to 4 ft., for\$320	00
Car containing 400 clumps, 1½ to 4 ft., for	00
Car containing 600 clumps, $1\frac{1}{2}$ to 4 ft., for 600	00

#### BURLAPING

Burlaping of "collected" Rhododendrons, Kalmias or other "collected" stock is charged for as per schedule below. Also where small sizes or deciduous stock is balled or burlaped by special request a charge is always made to cover cost.

#### Schedule of Burlaping Charges

•	Each
Small sizes	\$0 10
2 to 3 ft., clumps and trees	
3 to 4 ft., clumps and trees	20
4 to 6 ft., clumps and trees	25
6 to 8 ft., clumps and trees	30
Larger sizes are charged in proportion. Where large evergre	eens are
shipped on "platforms," a suitable charge will be made to cover c	ost.

All communications should be plainly addressed to

#### HARLAN P. KELSEY, Owner SALEM, MASS. Office 209A Washington St.